(Museum)
Fapo

JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 26

AUTHOR INDEX

		No.	Page
1.	AKERS, W. H., General ecology of the foraminiferal genus *Eponidella* with description of a Recent species	4	645
2.	ARKELL, W. J., Jurassic Ammonoidea	5	860
3.	ARNOLD, ZACH M., Structure and paleontological significance of the oral apparatus of the foraminiferoid *Gromia oviformis* Dujardin	5	829
4.	BAIRD, DONALD, Revision of the Pennsylvanian and Permian footprints *Limnopus*, *Allopus* and *Baropus*	5	832
5.	BELL, W. CHARLES, FENIAK, OLIVER W., and KURTZ, VINCENT E., Trilobites of the Franconia formation, southeast Minnesota	2	175
6.	BOCK, WILHELM, Triassic reptilian tracks and trends of locomotive evolution with remarks on correlation	3	395
7.	BOLLI, HANS, Note on the Cretaceous-Tertiary boundary in Trinidad, B.W.I.	4	669
8.	BRANSON, CARL C., Taxonomy in the Journal of Paleontology	6	999
9.	BRAYER, ROGER C., Salem Ostracoda of Missouri	2	162
10.	BURSCH, J. G., *Praeammoastuta*, new foraminiferal genus of the Venezuelan Tertiary, with an emendation of *Ammoastuta* Cushman and Brönnimann	6	915
11.	CAMP, CHARLES L., Geological boundaries in relation to faunal changes and diastrophism	3	353
12.	CAMPBELL, ARTHUR S., *Neosphaeroconchidium*, a new name for *Conchidium* Haeckel, preoccupied	4	680
	CAMPBELL, ARTHUR S., see REIDEL, WILLIAM R. (72)		
13.	CASTER, KENNETH E., and MACKE, WILLIAM B., Aglaspid merostome from the Upper Ordovician of Ohio, An	5	753
14.	CHEETHAM, ALAN H., Some Wilcox (Eocene) species of the ostracode genus *Cytherideis*	6	941
15.	COBBAN, W. A., New Upper Cretaceous ammonite genus from Wyoming and Utah, A	5	758
16.	COLE, W. STORRS, and GRAVELL, DONALD W., Middle Eocene Foraminifera from Peñon Seep, Matanzas Province, Cuba	5	708
17.	COLEMAN, P. J., Addendum to "*Atrypa* in Western Australia"	5	861
	COLLINSON, CHARLES, see MILLER, A. K. (58) (59) (60)		
18.	COLOM, G., Aquitanian-Burdigalian diatom deposits of the North Betic strait, Spain	6	867
19.	COOPER, G. ARTHUR, Unusual specimens of the brachiopod family Isogrammidae	1	113
20.	COOPER, G. ARTHUR, and WILLIAMS, ALWYN, Significance of the stratigraphic distribution of brachiopods	3	326
21.	CORDELL, R. J., Ostracodes from the Upper Pennsylvanian of Missouri. Part I: the family Bairdiidae	1	74
22.	CRICKMAY, C. H., Discrimination of late Upper Devonian	4	585
23.	CUMMINGS, ROBERT H., Developments in micropaleontological technique	1	123
24.	DECKER, CHARLES, New hydrozoan from the Devonian of Michigan, A	4	656
25.	DURHAM, J. WYATT, Not *Astrodaspis* in Japan	5	844
	FENIAK, OLIVER W., see BELL, W. CHARLES (5)		
26.	FLOWER, ROUSSEAU H., Cephalopods from the Harding and Manitou formations of Colorado	3	505
27.	FLOWER, ROUSSEAU H., New Ordovician cephalopods from eastern North America	1	24
28.	FLOWER, ROUSSEAU H., Ontogeny of *Centroceras*, with remarks on the phylogeny of the Centroceratidae, The	3	519
29.	FREDERICKSON, E. A., and POLLACK, J. M., Two trilobite genera from the Harding formation (Ordovician) of Colorado	4	641
30.	GILLILAND, WILLIAM N., and LA ROCQUE, AURÉLE, New *Xenohelix?* from the Paleocene of Utah	3	501
	GLENISTER, BRIAN F., see TEICHERT, CURT (85) (86)		
31.	GOLDRING, WINIFRED, Distribution of evolutionary explosions in geologic time, a symposium: Foreword	3	298
	GRAVELL, DONALD W., see COLE, W. STORRS (16)		
32.	GRAVES, ROY W., JR., Devonian conodonts from the Caballos novaculite	4	610
33.	GREEN, MORTON, *Hesperocyon* Scott 1890 for *Pseudocynodictis* Schlosser 1902	1	124

34. GREGORY, JOSEPH T., On the fish-like tail in the ichthyostegid stegocephalians by Erik Jarvik (Review of) 5 863
35. HAAS, OTTO, Example of homeomorphy from a Jurassic ammonoid fauna, A 5 857
36. HAAS, OTTO, Grundlagen der Biostratonomie by Arno H. Müller (Review of) 5 862
37. HAYNE, MARTHA, Geologic guidebook of San Francisco Bay counties (Review of) .. 5 862
38. HEMMING, FRANCIS, Notice issued by the secretary to the International Commission on Zoological Nomenclature 3 531
39. HENBEST, LLOYD G., Significance of evolutionary explosions for diastrophic division of earth-history—introduction to the symposium 3 299
40. HERTLEIN, LEO GEORGE, *Newaagia*, new name for *Philippiella* Waagen 2 275
41. HOTTON, NICHOLAS, III, Jaws and teeth of American xenacanth sharks 3 489
42. HOWE, HENRY V., Taxonomic comment on: Checklist of salinity tolerance of post-Paleozoic fossil Ostracoda by I. G. Sohn 4 678
43. JOHNSON, J. HARLAN, and TAFUR, ISSAC, Coralline algae from the Eocene Atascadero limestone 4 537
44. KATICH, PHILIP J., JR., Occurrence of *Tempskya* in the Lower Cretaceous of the Western Interior 4 677
45. KESLING, ROBERT V., Dimorphism in Devonian hollinid ostracods of North America 5 764
46. KESLING, ROBERT V., Doubling in size of ostracod carapaces in each molt stage 5 772
47. KESLING, ROBERT V., and TABOR, NORMAN L., Two new species of ostracods from the Genshaw formation (Middle Devonian) of Michigan 5 761
48. KJELLESVIG-WAERING, ERIK N., and STØRMER, LEIF, *Dolichopterus-Strobilopterus* group in the Eurypterida, The 4 659
49. KJELLESVIG-WAERING, ERIK N., and STØRMER, LEIF, Lower Devonian *Pterygotus* from Wyoming 6 997
50. KUMMEL, BERNHARD, Classification of the Triassic ammonoids, A 5 847

KURTZ, VINCENT E., see BELL, W. CHARLES (5)

LA ROCQUE, AURÉLE, see GILLILAND, WILLIAM N. (30)

51. LAUDON, L. R., PARKS, J. M., and SPRENG, A. C., Mississippian crinoid fauna from the Banff formation, Sunwapta Pass, Alberta 4 544
52. LEITH, EDWARD I., Schizocoralla from the Ordovician of Manitoba 5 789
53. LEROY, L. W., *Orbulina universa* d'Orbigny in central Sumatra 4 576

MACKE, WILLIAM B., see CASTER, KENNETH E. (13)

54. MCLAUGHLIN, KENNETH P., Microfauna of the Pennsylvanian Glen Eyrie formation, Colorado 4 613
55. MARBLE, JOHN PUTNAM, Some observations on the accuracy of the "lead method" for the measurement of geologic time 3 319
56. MARPLE, MILDRED FISHER, Ostracodes from the Pottsville Series in Ohio 6 924
57. MARTIN, WARD R., Holothuroidea from the Iowa Devonian 5 728
58. MILLER, A. K., and COLLINSON, CHARLES, New Jurassic nautiloid species from Morocco, A 4 626
59. MILLER, A. K., and COLLINSON, CHARLES, Trochoceratoid nautiloid from the Henry-house shale (Silurian) of Oklahoma, A 4 622
60. MILLER, A. K., and COLLINSON, CHARLES, Two cephalopods from near the Kinder-hook-Osage boundary in Missouri 4 624
61. MILLER, A. K., YOUNGQUIST, WALTER, and NIELSON, MERRILL L., Mississippian cephalopods from western Utah 2 148
62. MILLER, ROBERT L., and WELLER, J. MARVIN, Significant comparisons in paleontology 6 993
63. MOORE, RAYMOND C., Evolution rates among crinoids 3 338
64. NEWELL, NORMAN D., Periodicity in invertebrate evolution 3 371
65. NICOL, DAVID, Revision of the pelecypod genus *Echinochama* 5 803

NIELSON, MERRILL L., see MILLER, A. K. (61)

66. ÖPIK, A. A., Hypostoma of *Pagetia*, The 2 272

PARKS, J. M., see LAUDON, L. R. (51)

POLLACK, J. M., see FREDERICKSON, E. A. (29)

67. PURI, HARBANS SINGH, Ostracode genera *Cytheretta* and *Paracytheretta* in America .. 2 199
68. PURI, HARBANS SINGH, Ostracode genus *Cytherideis* and its allies 6 902
69. RASETTI, FRANCO, Cephalic sutures in the Upper Cambrian trilobite *Entomaspis* 5 797
70. RASETTI, FRANCO, Revision of the North American trilobites of the family Eodiscidae 3 434
71. RAW, FRANK, Note on Ross' "Ontogenies of three Garden City (early Ordovician) trilobites," A 5 854
72. REIDEL, WILLIAM R., and CAMPBELL, ARTHUR S., New Eocene radiolarian genus, A 4 667
73. REIMANN, IRVING G., New material for the paleontologist, A 3 529
74. RHODES, F. H. T., Classification of Pennsylvanian conodont assemblages, A 6 886
75. SHAW, ALAN B., Paleontology of northwestern Vermont. II. Fauna of the Upper Cambrian Rockledge conglomerate near St. Albans 3 458

863	76. SIMPSON, GEORGE GAYLORD, Periodicity in vertebrate evolution	3	359
857	SPRENG, A. C., see LAUDON, L. R. (51)		
862	77. STIRTON, R. A., *Medistylus* new name for *Phanophilus* Ameghino, not Sharp	3	531
862	78. STØRMER, LEIF, Phylogeny and taxonomy of fossil horseshoe crabs	4	630
531	STØRMER, LEIF, see KJELLESVIG-WAERING, ERIK N. (48) (49)		
299	79. STRIMPLE, HARRELL L., Arms of *perimestocrinus*, The	5	784
275	80. STRIMPLE, HARRELL L., New cystoid from the Dixon formation, A	1	63
489	81. STUMM, ERWIN C., Species of the Silurian rugose coral *Tryplasma* from North America	5	841
678	TABOR, NORMAN L., see KESLING, ROBERT V. (47)		
537	TAFUR, ISSAC, see JOHNSON, J. HARLAN (43)		
677	82. TASCH, PAUL, Adaptive trend in eyeline development in the Olenellidae	3	484
764	83. TASCH, PAUL, Notes on the taxonomy of kingstonid trilobites	5	859
772	84. TASCH, PAUL, Taxonomy and paleoecological significance of pemphigaspid trilobites	3	529
761	85. TEICHERT, CURT, and GLENISTER, BRIAN F., Fossil nautiloid faunas from Australia	5	730
659	86. TEICHERT, CURT, and GLENISTER, BRIAN F., Lower Permian ammonoids from the Irwin Basin, Western Australia	1	12
997	87. TEN DAM, A., On *Asterigerina gürichi* (Franke)	4	676
847	88. THALMANN, HANS E., Bibliography and index to new genera, species and varieties of Foraminifera for the year 1950	2	223
544	89. THALMANN, HANS E., Bibliography and index to new genera, species, and varieties of Foraminifera for the year 1951	6	953
789	90. TROMP, S. W., Tentative compilation of the micropaleontology of Egypt	4	661
576	91. UNKLESBAY, A. G., *Manticoceras* from Missouri, A	5	781
613	92. VANZOLINI, P. E., Fossil snakes and lizards from the lower Miocene of Florida	3	452
319	93. WELLER, J. MARVIN, Analysis of trilobite generic nomenclature and its implications regarding progress in paleontology	2	137
924	94. WELLER, J. MARVIN, Chairman, Committee on Stratigraphic Paleontology: News and comment	2	269
728	WELLER, J. MARVIN, see MILLER, ROBERT L. (62)		
626	95. WELLS, JOHN W., Specimen of the starfish *Ptilonaster* from the Upper Devonian of New York, A	1	120
622	96. WHITNEY, MARION, Some new Pelecypoda from the Glen Rose formation of Texas	5	697
624	97. WHITNEY, MARION ISABELLE, Some zone marker fossils of the Glen Rose formation of central Texas	1	65
148	98. WHITTINGTON, HARRY B., Trilobite family Dionididae, The	1	1
993	WILLIAMS, ALWYN, see COOPER, G. ARTHUR (20)		
338	99. WOODRING, W. P., *Nerinea* from southwestern Oriente Province, Cuba, A	1	60
371	100. WOODRING, WENDELL, Chairman, Distribution of evolutionary explosions in geologic time, a symposium, Discussion	3	386
803	101. WRAY, JOHN L., Endothyroid Foraminifera from the Greenbrier series of northern West Virginia	6	946
272	102. WRIGHT, C. W., Classification of Cretaceous ammonites	2	213
	103. YOUNG, KEITH, Redescription of two gastropods named by Cragin	5	878
	104. YOUNGQUIST, WALTER, Triassic conodonts from southeastern Idaho	4	650
	YOUNGQUIST, WALTER, see MILLER, A. K. (61)		
	105. ANONYMOUS, Availability of U. S. Geological Survey technical files in paleontology	3	535
	106. ANONYMOUS, Notice of forty-eighth annual meeting, Cordilleran Section, Geological Society of America	2	275
	107. ANONYMOUS, Notice of third annual field conference, New Mexico Geological Society, Rio Grande trough	4	694
	108. ANONYMOUS, Searching for radioactive minerals in routine exploration for oil and gas	4	693

SUBJECT INDEX

199 aglaspids (merostomes): Ordovician, Ohio (13).
902 algae: coralline, Atascadero limestone (Eocene), Peru (43).
797 ammonoids: Cretaceous, classification (102); Jurassic, Syria, homeomorphy (35); Jurassic, taxonomy
434 (2); Kinderhook-Osage (Mississippian), Missouri (60); Lower Permian, Western Australia (86); *Manticoceras*, Devonian, Missouri (91); Mississippian, Utah (61), *Pseudobaculites*, Cretaceous,
854 Wyoming, Utah (15); Triassic, classification (50).
667 amphibians: footprints, Pennsylvanian, Permian (4).
529 *Asterigerina gürichi* (Foraminifera); Tertiary, Netherlands (87).
886 Aquitanian (Tertiary): diatoms, Spain (18).
Atascadero limestone (Eocene): coralline algae, Peru (43).
458 *Atrypa* (brachiopod): Western Australia, addendum (17).

Australia: fossil nautiloid faunas (85); Western, *Atrypa*, addendum (17); Western, ammonoids, Lower Permian (86).
Bairdiidae (ostracodes): Upper Pennsylvanian, Missouri (21).
Banff formation (Mississippian): crinoids, Alberta, Canada (51).
bibliography: Foraminifera, new genera, species, and varieties, 1950 (88); 1951) (89).
brachiopods: *Atrypa*, Western Australia, addendum (17); isogrammid, Pennsylvanian (Texas), Permian (Sicily) (19); later Upper Devonian, western North America (22); stratigraphic distribution, evolutionary explosions (20).
Burdigalian (Tertiary): diatoms, Spain (18).
Caballos novaculite (Devonian): conodonts, Marathon Basin, Texas (32).
California: new radiolarian, Eocene (72).
Cambrian: *Entomaspis*, Missouri (69); eodiscid trilobites, North America (70); Franconia formation, trilobites, Minnesota (5); Rockledge conglomerate, trilobites, gastropods, Vermont (75).
Canada: Alberta, crinoids, Mississippian (51); Manitoba, schizocorals, Ordovician (52); Quebec, nautiloids, Ordovician (26).
Centroceras (nautiloid): ontogeny (28).
cephalopods: ammonoids, Cretaceous, classification (102); ammonoid, Cretaceous, Wyoming, Utah (15); ammonoids, Jurassic, Syria, homeomorphy (35); ammonoids, Jurassic, taxonomy (2); ammonoids, Permian, Western Australia (86); ammonoids, Triassic, classification (50); *Centroceras*, ontogeny (28); Kinderhook-Osage (Mississippian), Missouri (60); *Manticoceras*, Devonian, Missouri (91); Meramecian (Mississippian), Utah (61); nautiloid faunas, fossil, Australia (85); nautiloid, Jurassic, Morocco (58); nautiloids, Ordovician, Colorado (26); nautiloids, Ordovician, eastern North America (27); trochoceratoid nautiloid, Henryhouse shale (Silurian), Oklahoma (59).
Ceritella proctori (gastropod): Cretaceous, Texas, redescription (103).
Chazyan (Ordovician): cephalopods, eastern North America (27).
classification: conodont assemblages, Pennsylvanian, Illinois (74); Cretaceous ammonoids (102); fossil horseshoe crabs (78); pemphigaspid trilobites (84); Triassic ammonoids (50).
Coastal Plain: Gulf, *Cytherideis*, Wilcox (Eocene) (14); Louisiana, *Eponidella*, Recent (1); North America, *Cytheretta*, *Paracytheretta*, Tertiary (67); North America, *Cytherideis*, Tertiary (68).
Colorado: nautiloids, Ordovician (26); ostracodes and conodonts, Pennsylvanian (54); trilobites, Ordovician (29).
comparisons, significant: in paleontology (62).
conodonts: assemblages, classification, Pennsylvanian, Illinois (74); Caballos novaculite (Devonian) Marathon Basin, Texas (32); Glen Eyrie formation (Pennsylvanian), Colorado (54); Triassic, Idaho (104).
corals: rugose, *Tryplasma*, Silurian, North America (81); schizocorals, Ordovician, Manitoba (52).
crabs, fossil horseshoe: phylogeny, taxonomy (78).
Cretaceous: ammonoids, classification (102); Foraminifera, Egypt, tentative compilation (90); gastropods, Texas, redescription (103); Glen Rose formation, pelecypods, Texas (96); Glen Rose formation, pelecypods and gastropods, Texas (97); Lower, *Tempskya*, Western Interior (44); nautiloids, Australia (85); *Pseudobaculites*, Wyoming, Utah (15).
crinoids: Banff formation (Mississippian), Alberta, Canada (51); evolution rates (63); *Perimestocrinus*, Pennsylvanian, Oklahoma (79).
Cuba: Matanzas Province, Foraminifera, Eocene (16); Oriente Province, *Nerinea*, Eocene (99).
cystoids: Dixon formation (Silurian), Tennessee (80).
Cytheretta (ostracode): Cenozoic, America (67).
Cytherideis (ostracode): Tertiary, North America (68); Wilcox (Eocene), Gulf Coast (14).
Devonian: Caballos novaculite, conodonts, Texas (32); Genshaw formation, hollinid ostracodes (47); hollinid ostracodes, morphology, taxonomy (45); holothurians, Iowa (57); hydrozoan, Michigan (24); late Upper, brachiopods, western North America (22); *Manticoceras*, Missouri (91); Middle, *Centroceras*, ontogeny (28); nautiloids, Australia (85); *Pterygotus*, Wyoming (49); Upper, *Ptilonaster*, New York (95).
diastrophism: relation to faunal changes (11); significance in evolutionary explosions (39).
diatoms: Aquitanian-Burdigalian (Tertiary), Spain (18).
dionidids (trilobites): Ordovician (98).
Dixon formation (Silurian): cystoid, Tennessee (80).
dogs, fossil: *Hesperocyon* for *Pseudocynodictis* (33).
Dolichopterus (eurypterid): (48).
Echinochama (pelecypod): Cenozoic, America, morphology, taxonomy, ecology (65).
echinoids: *Nipponaster*, Mio-Pliocene, Japan (25).
ecology: *Echinochama*, Cenozoic, America (65); *Eponidella*, Miocene (America), Recent (Louisiana) (1); pemphigaspid trilobites (84); salinity tolerance, ostracodes, post-Paleozoic, comment (30).
Edwards limestone (Cretaceous): gastropods, Texas, redescription (103).
Egypt: Foraminifera, tentative correlation (90).
endothyroids (Foraminifera): Greenbrier (Mississippian), West Virginia (101).

Enfield formation (Devonian): *Ptilonaster*, New York (95).
Entomaspis (trilobite): Cambrian, Missouri (69).
Eocene: Atascadero limestone, algae, Peru (43); Foraminifera, Matanzas Province, Cuba (16); *Nerinea*, Oriente Province, Cuba (99); new radiolarian, California (72); Wilcox, *Cytherideis*, Gulf Coast (14).
eodiscids (trilobites): Cambrian, North America (70).
Eponidella (Foraminifera): Miocene (America), Recent (Louisiana), ecology (1).
etymology: role in taxonomy (8).
eurypterids: *Dolichopterus-Strobilopterus* group (48); *Pterygotus*, Devonian, Wyoming (49).
evolutionary explosions (Symposium): brachiopods (20); crinoids (63), discussion (100); foreword (31); invertebrates (64); "lead method" of geologic-time measurement (55); Significance in division of earth history (39); vertebrates (76).
evolutionary trends: *Echinochama*, Cenozoic, America (65); olenellid trilobites, eyeline development (82); reptilian tracks, Triassic (6).
extinction: relation to diastrophism (11).
eyeline development: trends in olenellid trilobites (82).
ferns, fossil: *Tempskya*, Cretaceous, Western Interior (44).
Florida: fossil snakes, lizards, Miocene (92).
Foraminifera: *Asterigerina gürichi*, Tertiary, Netherlands (87); bibliography and index, new genera, species, and varieties, 1950 (88); 1951 (89); endothyroid, Greenbrier (Mississippian), West Virginia (101); *Eponidella*, Miocene (America), Recent (Louisiana), ecology (1); Eocene, Matanzas Province, Cuba (16); foraminiferoid, *Gromia oviformis*, oral apparatus (3); *Orbulina universa*, Tertiary, central Sumatra (53); Paleocene, Trinidad (7); *Praeammoastuta*, *Ammoastuta*, Tertiary, Venezuela (10); tentative compilation, Egypt (90).
Franconia formation (Cambrian); trilobites, Minnesota (5).
gastropods: Cretaceous, Texas, redescription (103); Glen Rose formation (Cretaceous), Texas (97); *Nerinea*, Eocene, Oriente Province, Cuba (99); Rockledge conglomerate (Cambrian), Vermont (75).
Genshaw formation (Devonian): hollinid ostracodes, Michigan (47).
geographic distribution: crinoids (63); *Echinochama*, Cenozoic, America (65).
Glen Eyrie formation (Pennsylvanian): ostracodes, conodonts, Colorado (54).
Glen Rose formation (Cretaceous): pelecypods, Texas (96); pelecypods and gastropods, Texas (97).
Greenbrier (Mississippian): endothyroid Foraminifera, West Virginia (101).
Gromia oviformis (foraminiferoid): oral apparatus (2).
Haiti: *Cytheretta*, *Paracytheretta*, Recent (67).
Harding formation (Ordovician): nautiloids, Colorado (26); trilobites, Colorado (29).
Henryhouse shale (Silurian): trochoceratoid nautiloid, Oklahoma (59).
Hesperocyon (dog): for *Pseudocynodictis* (33).
hollinids (ostracodes): Devonian, morphology, taxonomy (45); Genshaw formation (Devonian), Michigan (47).
holothurians: Devonian, Iowa (57).
hydrozoans: Devonian, Michigan (24).
hypostoma: *Pagetia* (66).
Idaho: conodonts, Triassic (104).
Illinois: conodont assemblages, Pennsylvanian, classification (74).
index: Foraminifera, new genera, species, and varieties, 1950 (88); 1951 (89).
International Commission on Zoological Nomenclature: notice issued by secretary (38).
invertebrates: periodicity in evolution (64).
Iowa: holothurians, Devonian (57).
isogrammids (brachiopods): Pennsylvanian (Texas), Permian (Sicily) (13).
Japan: *Nipponaster*, Mio-Pliocene (25).
Jurassic: ammonoids, Syria, homeomorphy (35); ammonoids, taxonomy (2); Foraminifera, Egypt, tentative compilation (90); nautiloids, Australia (85); nautiloid, Morocco (58).
kingstonids (trilobites): taxonomy (83).
"lead method" of geologic-time measurement: (55).
lizards, fossil: Miocene, Florida (92).
Louisiana: *Eponidella*, Recent, ecology (1).
Manitou formation (Ordovician): nautiloids, Colorado (26).
Manticoceras (ammonoid): Devonian, Missouri (91).
Meramecian (Mississippian): cephalopods, Utah (61).
Medistylus (mammal): new, for *Phanophilus* Ameghino, not Sharp (77).
meetings: Cordilleran Section, Geological Society of America (106); New Mexico Geological Society (107).
merostomes: aglaspid, Ordovician, Ohio (13).
Michigan: hollinid ostracodes, Genshaw formation (Devonian) (47); hydrozoan, Devonian (24).
Minnesota: trilobites, Franconia formation (Cambrian) (5).
Miocene: *Eponidella*, America, ecology (1); fossil snakes, lizards, Florida (92).

Mio-Pliocene: *Nipponaster*, Japan (25).
Mississippian: Banff formation, crinoids, Alberta, Canada (51); Greenbrier, endothyroid Foraminifera, West Virginia (101); Kinderhook-Osage, cephalopods, Missouri (60); Meramecian, cephalopods, Utah (61); Salem limestone, ostracodes, Missouri (9).
Missouri: bairdiid ostracodes, Pennsylvanian (21); cephalopods, Kinderhook-Osage (Mississippian) (60); *Entomaspis*, Cambrian (69); *Manticoceras*, Devonian (91); ostracodes, Salem limestone (Mississippian) (9).
Mohawkian (Ordovician): cephalopods, eastern North America (27).
molt stages: ostracodes, doubling in size of carapace (46).
Morocco: nautiloid, Jurassic (58).
moronitas (diatom deposits): Aquitanian-Burdigalian (Tertiary), Spain (18).
morphology: ammonoids, Jurassic, Syria, homeomorphy (35); *Echinochama*, Cenozoic, America (65); *Entomaspis*, Cambrian, Missouri (69); *Gromia oviformis*, oral apparatus (3); hollinid ostracodes, Devonian, dimorphism (45); ostracodes, doubling in size of carapace (46).
nautiloids: *Centroceras*, ontogeny (28); faunas, fossil, Australia (85); Jurassic, Morocco (58); Kinderhook (Mississippian), Missouri (60); Mississippian, Utah (61); Ordovician, Colorado (26); Ordovician, eastern North America (27); trochoceratoid, Henryhouse shale (Silurian), Oklahoma (59).
Neosphaeroconchidium (Radiolaria): new, for *Conchidium* (12).
Nerinea (gastropod): new species, Eocene, Oriente Province, Cuba (99); *N. pellucida*, Cretaceous, Texas, redescription (103).
Netherlands: *Asterigerina gürichi*, Tertiary (87).
Newaagia (pelecypod): new, for *Philippiella* (40).
New York: nautiloids, Ordovician (27); *Ptilonaster*, Devonian (95).
Nipponaster (echinoid): Mio-Pliocene, Japan (25).
Ohio: aglaspid merostome, Ordovician (13); ostracodes, Pottsville (Pennsylvanian) (56).
Oklahoma: *Perimestocrinus*, Pennsylvanian (79); trochoceratoid nautiloid, Henryhouse shale (Silurian) (59).
olenellids (trilobites): trends in eyeline development (82).
ontogeny: *Centroceras* (28); *Echinochama* (65); trilobites, Ordovician, comment (71).
Orbulina universa (Foraminifera): Tertiary, Sumatra (53).
Ordovician: aglaspid merostome, Ohio (13); cephalopods, eastern North America (27); dionidid trilobites (98); Harding and Manitou formations, nautiloids, Colorado (26); Harding formation, trilobites, Colorado (29); nautiloids, Australia (85); schizocorals, Manitoba, Canada (52); trilobites, ontogeny, comment (71).
ostracodes: Bairdiidae, Pennsylvanian, Missouri (21); *Cytheretta*, *Paracytheretta*, Cenozoic, America (67); *Cytherideis*, Cenozoic America (68); *Cytherideis*, Wilcox (Eocene), Gulf Coast (14); Glen Eyrie formation (Pennsylvanian), Colorado (54); hollinid, Devonian, morphology, taxonomy (45); hollinid, Genshaw formation (Devonian), Michigan (47); molt stages, doubling in size of carapace (46); post-Paleozoic, salinity tolerance, comment (42); Pottsville (Pennsylvanian), Ohio (56); Salem limestone (Mississippian), Missouri (9).
Pagetia (trilobite): hypostoma (66).
Paleocene: Foraminifera, Trinidad (7); *Xenohelix?*, Utah (30).
Paracytheretta (ostracode): Cenozoic, America (67).
pelecypods: *Echinochama*, Cenozoic, America (65); Glen Rose formation (Cretaceous), Texas (96) (97); *Newaagia*, new, for *Philippiella* (38).
pemphigaspids (trilobites): taxonomy, ecology (84).
Pennsylvania: reptilian tracks, Triassic (6).
Pennsylvanian: amphibian footprints (4); bairdiid ostracodes, Missouri (21); conodont assemblages, Illinois (74); Glen Eyrie formation, ostracodes, conodonts, Colorado (54); isogrammid brachiopods, Texas (19); *Perimestocrinus*, Oklahoma (79); Pottsville, ostracodes, Ohio (56); xenacanth sharks, America (28).
Perimestocrinus (crinoid): Pennsylvanian, Oklahoma (79).
Permian: ammonoids, Western Australia (86); amphibian footprints (4); isogrammid brachiopods, Sicily (19); nautiloids, Australia (85); xenacanth sharks, America (41).
Peru: coralline algae, Atascadero limestone (Eocene) (43).
phylogeny: fossil horseshoe crabs (78).
Pottsville (Pennsylvanian): ostracodes, Ohio (56).
Praeammoastuta (Foraminifera): new, Tertiary, Venezuela (10).
problematica: *Xenohelix?*, Paleocene, Utah (30).
progress in paleontology: (93).
Pseudobaculites (ammonoid): Cretaceous, Wyoming, Utah (15).
Pterygotus (eurypterid): Devonian, Wyoming (49).
Ptilonaster (starfish): Devonian, New York (95).
radioactive minerals: discovery in oil and gas exploration (108).
Radiolaria: *Neosphaeroconchidium* for *Conchidium* (12); *Velicucullus*, new, Eocene, California (72).
Recent: *Cytheretta*, *Paracytheretta*, Haiti (67); *Echinochama*, America (65); *Eponidella*, Louisiana, ecology (1); Foraminifera, Egypt, tentative compilation (90).

reefs: pelecypod, Glen Rose formation (Cretaceous), Texas (96).
reptilian tracks: Triassic, Pennsylvania (6).
reviews: guidebook, San Francisco Bay counties (37); Jarvik, ichthyostegid stegocephalians (34); Müller, Biostratonomie (36).
Rockledge conglomerate (Cambrian): trilobites, gastropods, Vermont (75).
Sakmarian (Permian): ammonoids, Western Australia (86).
Salem limestone (Mississippian): ostracodes, Missouri (9).
salinity tolerance: ostracodes, post-Paleozoic, comment (42).
schizocorals: Ordovician, Manitoba, Canada (52).
sharks, fossil: xenacanth, jaws and teeth, Pennsylvanian, Permian, America (41).
Sicily: isogrammid brachiopods, Permian (19)
Silurian: Dixon formation, cystoid, Tennessee (80); Henryhouse shale, trochoceratoid nautiloid, Oklahoma (59); nautiloids, Australia (85); *Tryplasma*, North America (81).
snakes, fossil: Miocene, Florida (9).
Spain: diatoms, Aquitanian-Burdigalian (Tertiary) (18).
starfish, fossil: *Ptilonaster*, Devonian, New York (95).
stratigraphic distribution: brachiopods (20); crinoids (63); invertebrates (64); vertebrates (76).
stratigraphic paleontology, committee on: news and comment (94).
Strobilopterus (eurypterid): (48).
Sumatra: *Orbulina universa*, Tertiary (53).
Syria: ammonoids, Jurassic, homeomorphy (35).
taxonomy: ammonoids, Jurassic (2); *Echinochama*, Cenozoic, America (65); fossil horse shoe crabs (78); hollinid ostracodes, Devonian (45); in the Journal of Paleontology (8); kingstonid trilobites (83); schizocorals, Ordovician, Manitoba, Canada (52).
technical files in paleontology: U. S. Geological Survey, availability (105).
technique: micropaleontological, new developments (23): paleontological, plastic fabric (73); paleontological, significant comparisons (62).
Tempskya (fern): Cretaceous, Western Interior (44).
Tennessee: cystoid, Dixon formation (Silurian) (80).
Tertiary: Aquitanian-Burdigalian, diatoms, Spain (18); *Asterigerina gürichi*, Netherlands (87); *Cytheretta*, *Paracytheretta*, North American Coastal Plain (67); *Cytherideis*, North American Coastal Plain (68); *Echinochama*, America (65); Foraminifera, Egypt, tentative compilation (90); nautiloids, Australia (85); *Orbulina universa*, Sumatra (53); *Praeammoastuta*, Venezuela (10).
Texas: gastropods, Cretaceous, redescription (103); isogrammid brachiopods, Pennsylvanian (19); Marathon Basin, conodonts, Caballos novaculite (Devonian) (32); pelecypods, gastropods, Glen Rose formation (Cretaceous) (97); pelecypods, Glen Rose formation (Cretaceous) (96).
tracks, fossil: amphibian, Pennsylvanian (4); reptilian, Triassic, Pennsylvania (6).
Triassic: ammonoids, classification (50); conodonts, Idaho (104); reptilian tracks, Pennsylvania, correlation with European units (6).
trilobites: analysis of generic nomenclature (93); dionidid, Ordovician (98); *Entomaspis*, Cambrian Missouri (69); eodiscid, Cambrian, North America (70); Franconia formation (Cambrian), Minnesota (5); Harding formation (Ordovician), Colorado (29); kingstonid, taxonomy (83); olenellid, trends in eyeline development (82); Ordovician, ontogeny, comment (71); *Pagetia*, hypostoma (66); pemphigaspid, taxonomy, ecology (84); Rockledge conglomerate (Cambrian), Vermont (75).
Trinidad: Foraminifera, Paleocene (7).
Tryplasma (coral): Silurian, North America (81).
U. S. Geological Survey: availability of technical files in paleontology (105).
Utah: cephalopods, Mississippian (61): *Pseudobaculites*, Cretaceous (15); *Xenohelix?*, Paleocene (30).
Venezuela: *Praeammoastuta*, Tertiary (10).
Vermont: trilobites, gastropods, Rockledge conglomerate (Cambrian) (75).
vertebrates: amphibian tracks, Pennsylvanian (4); *Hesperocyon* for *Pseudocynodictis* (33); *Medistylus* for *Phanophilus* (77); periodicity in evolution (76); reptilian tracks, Triassic, Pennsylvania (6); snakes, lizards, Miocene, Florida (92); xenacanth sharks, Pennsylvanian, Permian, America (28).
Western Interior (North America): *Tempskya*, Lower Cretaceous (44).
West Virginia: endothyroid Foraminifera, Greenbrier (Mississippian) (101).
Wilcox (Eocene): *Cytherideis*, Gulf Coast (14).
Wyoming: *Pseudobaculites*, Cretaceous (15); *Pterygotus*, Devonian (49).
Xenacanthus (shark): jaws and teeth, Pennsylvanian, Permian, America (41).
Xenohelix? (problematica): Paleocene, Utah (30).